

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SUL, by sex and race/ethnicity, 2004

| Race/ethnicity | Males | | | Females | | | Total | | |
|-------------------------------|-------|-----|------|---------|-----|------|-------|-----|------|
| | No. | % | Rate | No. | % | Rate | No. | % | Rate |
| White, not Hispanic | * | 57 | a | * | 100 | a | * | 63 | a |
| Black, not Hispanic | * | 29 | a | 0 | 0 | a | * | 25 | a |
| Hispanic | * | 14 | a | 0 | 0 | a | * | 13 | a |
| Asian/Pacific Islander | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| American Indian/Alaska Native | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Unknown/Multiple Race | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Total | 7 | 100 | a | * | 100 | a | 8 | 100 | a |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SUL, by sex and age at diagnosis, 2004

| Age (yrs) | Males | | Females | | Total | |
|-----------|-------|-----|---------|-----|-------|-----|
| | No. | % | No. | % | No. | % |
| <13 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-24 | * | 14 | * | 100 | * | 25 |
| 25-34 | * | 57 | 0 | 0 | * | 50 |
| 35-44 | * | 14 | 0 | 0 | * | 13 |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-64 | * | 14 | 0 | 0 | * | 13 |
| >=65 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 7 | 100 | * | 100 | 8 | 100 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SUL, by sex and exposure category, 2004

| Exposure category | Males | | Females | | Total | |
|-----------------------------|-------|-----|---------|-----|-------|-----|
| | No. | % | No. | % | No. | % |
| Male-to-male sex | 5 | 71 | a | a | 5 | 63 |
| Injection drug use (IDU) | 0 | 0 | 0 | 0 | 0 | 0 |
| Male-to-male sex and IDU | 0 | 0 | a | a | 0 | 0 |
| Heterosexual contact | * | 14 | 0 | 0 | * | 13 |
| Mother with/at risk for HIV | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/unknown | * | 14 | * | 100 | * | 25 |
| Total | 7 | 100 | * | 100 | 8 | 100 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SUL, by race/ethnicity and exposure category, 2004

| Exposure category | White, not Hispanic | | Black, not Hispanic | | Hispanic | | Asian/ Pacific Islander | | American Indian/ Alaska Native | | Unknown/ Multiple Race | | Total | |
|-----------------------------|------------------------|-----|------------------------|-----|----------|-----|----------------------------|---|-----------------------------------|---|---------------------------|---|-------|-----|
| | No. | % | No. | % | No. | % | No. | % | No. | % | No. | % | No. | % |
| Male-to-male sex | * | 80 | * | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 63 |
| Injection drug use (IDU) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Male-to-male sex and IDU | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Heterosexual contact | 0 | 0 | * | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * | 13 |
| Mother with/at risk for HIV | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/unknown | * | 20 | 0 | 0 | * | 100 | 0 | 0 | 0 | 0 | 0 | 0 | * | 25 |
| Total | 5 | 100 | * | 100 | * | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 100 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SUL, by sex and tuberculosis comorbidity, 2004

| Tuberculosis diagnosis | Males | | Females | | Total | |
|---------------------------|-------|-----|---------|-----|-------|-----|
| | No. | % | No. | % | No. | % |
| Not diagnosed | 7 | 100 | * | 100 | 8 | 100 |
| Definitive case | 0 | 0 | 0 | 0 | 0 | 0 |
| Presumptive case | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 7 | 100 | * | 100 | 8 | 100 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SUL, by sex and race/ethnicity, 2004

| Race/ethnicity | Males | | | Females | | | Total | | |
|-------------------------------|-------|-----|------|---------|---|------|-------|-----|------|
| | No. | % | Rate | No. | % | Rate | No. | % | Rate |
| White, not Hispanic | * | 100 | a | 0 | 0 | a | * | 100 | a |
| Black, not Hispanic | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Hispanic | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Asian/Pacific Islander | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| American Indian/Alaska Native | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Unknown/Multiple Race | 0 | 0 | a | 0 | 0 | a | 0 | 0 | a |
| Total | * | 100 | a | 0 | 0 | a | * | 100 | a |

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SUL, by year of diagnosis and sex

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|------------|------------|------------|------------|------------|------------|----------------------------------|
| Sex | No. | No. | No. | No. | No. | No. |
| Males | * | 10 | 8 | 6 | 7 | 144 |
| Females | * | * | * | * | * | 27 |
| Total | 5 | 11 | 11 | 8 | 8 | 171 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SUL, by year of diagnosis and race/ethnicity

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-------------------------------|------|------|------|------|------|----------------------------------|
| Race/ethnicity | No. | No. | No. | No. | No. | No. |
| White, not Hispanic | * | 9 | 7 | 7 | 5 | 141 |
| Black, not Hispanic | 0 | * | * | * | * | 27 |
| Hispanic | * | 0 | * | 0 | * | 3 |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian/Alaska Native | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown/Multiple Race | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 5 | 11 | 11 | 8 | 8 | 171 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SUL, by year of diagnosis and age at diagnosis

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-----------|------|------|------|------|------|----------------------------------|
| Age (yrs) | No. | No. | No. | No. | No. | No. |
| <13 | 0 | 0 | 0 | 0 | 0 | 1 |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-24 | * | * | * | * | * | 30 |
| 25-34 | * | * | * | * | * | 63 |
| 35-44 | * | * | * | * | * | 49 |
| 45-54 | 0 | * | * | * | 0 | 23 |
| 55-64 | * | 0 | 0 | 0 | * | 5 |
| >=65 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 5 | 11 | 11 | 8 | 8 | 171 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SUL, by year of diagnosis and exposure category

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-----------------------------|------|------|------|------|------|----------------------------------|
| Exposure category | No. | No. | No. | No. | No. | No. |
| Male-to-male sex | * | 7 | 6 | * | 5 | 97 |
| Injection drug use (IDU) | 0 | * | 0 | 0 | 0 | 21 |
| Male-to-male sex and IDU | 0 | * | 0 | 0 | 0 | 10 |
| Heterosexual contact | * | * | * | * | * | 28 |
| Mother with/at risk for HIV | 0 | 0 | 0 | 0 | 0 | 1 |
| Other/unknown | 0 | 0 | * | 0 | * | 14 |
| Total | 5 | 11 | 11 | 8 | 8 | 171 |

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SUL, by year of diagnosis and sex

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|------------|------------|------------|------------|------------|------------|----------------------------------|
| Sex | No. | No. | No. | No. | No. | No. |
| Males | * | * | 5 | * | * | 94 |
| Females | * | * | 0 | * | 0 | 17 |
| Total | * | 5 | 5 | * | * | 111 |

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SUL, by year of diagnosis and race/ethnicity

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-------------------------------|------|------|------|------|------|----------------------------------|
| Race/ethnicity | No. | No. | No. | No. | No. | No. |
| White, not Hispanic | * | * | * | * | * | 97 |
| Black, not Hispanic | 0 | * | 0 | 0 | 0 | 12 |
| Hispanic | 0 | 0 | * | 0 | * | 2 |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian/Alaska Native | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown/Multiple Race | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | * | 5 | 5 | * | * | 111 |

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SUL, by year of diagnosis and age at diagnosis

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-----------|------|------|------|------|------|----------------------------------|
| Age (yrs) | No. | No. | No. | No. | No. | No. |
| <13 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-24 | 0 | 0 | 0 | 0 | 0 | 6 |
| 25-34 | 0 | * | * | * | * | 42 |
| 35-44 | * | * | * | * | * | 35 |
| 45-54 | 0 | * | * | * | 0 | 24 |
| 55-64 | * | 0 | 0 | 0 | * | 4 |
| >=65 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | * | 5 | 5 | * | * | 111 |

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SUL, by year of diagnosis and exposure category

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative cases through 2004 |
|-----------------------------|------|------|------|------|------|----------------------------------|
| Exposure category | No. | No. | No. | No. | No. | No. |
| Male-to-male sex | * | * | * | * | * | 66 |
| Injection drug use (IDU) | 0 | 0 | 0 | 0 | 0 | 13 |
| Male-to-male sex and IDU | 0 | 0 | * | 0 | 0 | 7 |
| Heterosexual contact | * | * | 0 | * | * | 16 |
| Mother with/at risk for HIV | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/unknown | 0 | 0 | * | 0 | * | 9 |
| Total | * | 5 | 5 | * | * | 111 |

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SUL, by year and sex

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|------------|------------|------------|------------|------------|------------|
| Sex | No. | No. | No. | No. | No. |
| Males | 65 | 73 | 80 | 85 | 90 |
| Females | 11 | 12 | 14 | 15 | 16 |
| Total | 76 | 85 | 94 | 100 | 106 |

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SUL, by year and race/ethnicity

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|-------------------------------|------------|------------|------------|------------|------------|
| Race/ethnicity | No. | No. | No. | No. | No. |
| White, not Hispanic | 61 | 68 | 73 | 78 | 81 |
| Black, not Hispanic | 14 | 16 | 19 | 20 | 22 |
| Hispanic | * | * | * | * | * |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 |
| American Indian/Alaska Native | 0 | 0 | 0 | 0 | 0 |
| Unknown/Multiple Race | 0 | 0 | 0 | 0 | 0 |
| Total | 76 | 85 | 94 | 100 | 106 |

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SUL, by year and current age

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|-------------------|------|------|------|------|------|
| Current age (yrs) | No. | No. | No. | No. | No. |
| <13 | 0 | 0 | 0 | 0 | 0 |
| 13-14 | * | * | * | * | * |
| 15-24 | * | * | 5 | 6 | 8 |
| 25-34 | 9 | 9 | 10 | 14 | 18 |
| 35-44 | 39 | 42 | 48 | 49 | 49 |
| 45-54 | 16 | 20 | 21 | 21 | 20 |
| 55-64 | 8 | 9 | 8 | 8 | 9 |
| >=65 | * | * | * | * | * |
| Total | 76 | 85 | 94 | 100 | 106 |

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SUL, by year and exposure category

| | 2000 | 2001 | 2002 | 2003 | 2004 |
|-----------------------------|------|------|------|------|------|
| Exposure category | No. | No. | No. | No. | No. |
| Male-to-male sex | 42 | 47 | 52 | 55 | 59 |
| Injection drug use (IDU) | 11 | 12 | 12 | 12 | 12 |
| Male-to-male sex and IDU | * | 5 | 5 | 5 | 5 |
| Heterosexual contact | 15 | 17 | 18 | 21 | 21 |
| Mother with/at risk for HIV | * | * | * | * | * |
| Other/unknown | * | * | 6 | 6 | 8 |
| Total | 76 | 85 | 94 | 100 | 106 |

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SUL, by year of death and sex

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative deaths through 2004 |
|---------|------|------|------|------|------|-----------------------------------|
| Sex | No. | No. | No. | No. | No. | No. |
| Males | 0 | * | * | * | * | 54 |
| Females | 0 | 0 | * | * | 0 | 11 |
| Total | 0 | * | * | * | * | 65 |

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SUL, by year of death and race/ethnicity

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative deaths through 2004 |
|-------------------------------|------------|------------|------------|------------|------------|-----------------------------------|
| Race/ethnicity | No. | No. | No. | No. | No. | No. |
| White, not Hispanic | 0 | * | * | * | * | 60 |
| Black, not Hispanic | 0 | 0 | 0 | 0 | 0 | 5 |
| Hispanic | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian/Alaska Native | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown/Multiple Race | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | * | * | * | * | 65 |

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SUL, by year of death and age at death

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative deaths through 2004 |
|-----------|------|------|------|------|------|-----------------------------------|
| Age (yrs) | No. | No. | No. | No. | No. | No. |
| <13 | 0 | 0 | 0 | 0 | 0 | 0 |
| 13-14 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-24 | 0 | 0 | 0 | 0 | 0 | 1 |
| 25-34 | 0 | * | 0 | 0 | 0 | 20 |
| 35-44 | 0 | 0 | 0 | * | * | 24 |
| 45-54 | 0 | 0 | * | * | * | 16 |
| 55-64 | 0 | 0 | * | 0 | 0 | 4 |
| >=65 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | * | * | * | * | 65 |

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SUL, by year of death and exposure category

| | 2000 | 2001 | 2002 | 2003 | 2004 | Cumulative deaths through 2004 |
|-----------------------------|------|------|------|------|------|-----------------------------------|
| Exposure category | No. | No. | No. | No. | No. | No. |
| Male-to-male sex | 0 | * | * | * | * | 38 |
| Injection drug use (IDU) | 0 | 0 | 0 | 0 | 0 | 9 |
| Male-to-male sex and IDU | 0 | 0 | 0 | 0 | 0 | 5 |
| Heterosexual contact | 0 | 0 | * | * | * | 7 |
| Mother with/at risk for HIV | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/unknown | 0 | 0 | 0 | 0 | 0 | 6 |
| Total | 0 | * | * | * | * | 65 |

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.